



REQUESTS FOR BIDS

FABRICATION OF ENTRANCE SIGNS
FOR THE VILLAGE OF OSWEGO

LEGAL NOTICE
INVITATION TO BID
TO PROVIDE FABRICATION OF ENTRANCE SIGNS
FOR THE VILLAGE OF OSWEGO

Sealed bids to supply Village Entry Signs at various locations to be completed must be mailed or hand-delivered to the address listed below by 10:00 AM Wednesday, October 22, 2014. Bids will be publically opened and read aloud at the above stated time and place. Proposals not physically received by the Village by 10:00 AM, Wednesday, October 22, 2014 will be returned, unopened to the firm. All proposals should be addressed to:

Village of Oswego
Re: (vendor name)
Proposal for the Village of Oswego, "Village Entry Signs"
Attention: Tina Touchette
Village Clerk
100 Parkers Mill
Oswego IL 60543

Proposal packets are available online at <http://www.oswegoil.org> or at the Oswego Village Hall, 100 Parker's Mill, Oswego, Illinois.

Each bid must be accompanied by a Bid Guarantee in the form of a Bid Bond from a company with an A-1 best rating, or a cashier's check in the amount of ten percent (10%) of the bid and made payable to the client address Village of Oswego, Public Works Department, 100 Parker's Mill, Oswego IL. 60543. No bid shall be withdrawn for a period of thirty (30) days after the bid opening date without the consent of the Village. Checks or drafts of unsuccessful bidders will be returned as soon as possible after opening and checking the bids.

Successful bidder must provide proper insurance, a Performance Bond and a Labor and Material Payment Bond in the full amount of the Contract, acceptable to the Village. The contractor must comply with Prevailing Wage Act.

Each contractor is to submit their bid as indicated in the Specifications.

The Village reserves the right to reject any or all bids and to waive any informality in bidding.

Emailed or faxed bids will not be accepted.

Award of Contract: The Village of Oswego Board of Trustees will make the final award of the proposal or contract.

SPECIFICATIONS

VILLAGE ENTRY SIGNS

1) DEFINITIONS:

The Term “Village” whenever used in the contract documents shall be construed to mean the Village of Oswego.

2) Conditions:

The Contractor is responsible for being familiar with all conditions, instructions, and documents governing this contract. Failure to make such preparations shall not excuse the Contractor from performance of the duties and obligations imposed under the terms of this contract.

3) Bid Bond:

If the bidder’s proposal for this project exceeds fifty thousand dollars (\$50,000.00), bids shall be secured by a certified check, bank draft, satisfactory bid bond or approved letter of credit in the amount of ten percent (10%) of the total bid price.

4) Performance Bond:

If the bidder’s proposal for the project is equal to or greater than \$5,000 then the following bonds shall be delivered to the Village and shall become binding with the acceptance of the bid.

Performance bond satisfactory to the Village, executed by Surety Company authorized to do business in the state or otherwise secured in a manner satisfactory to the Village, in an amount equal to 110% of the price specified.

5) Insurance Requirements:

The Contractor will be required to meet the Village of Oswego insurance requirements. Unless otherwise specified the Contractor shall, before commencing satisfactory to the Village of Oswego an additionally named insured in the following minimum amounts.

Property Damage	\$1,000,000 (each accident)
Bodily Injury	\$500,000 (each person)
	\$1,000,000 (each accident)
Workmen’s Compensation Insurance:	All Liability imposed
	Workmen’s Compensation stature
Employer’s Liability Insurance	\$100,000
Contractual Liability Insurance	\$500,000
Completed Operations Insurance	\$500,000
Owned, Hired, and Non-Ownership	
Vehicle Bodily Injury and Property	
Damaged to the following Limits	

Kendall County and the Illinois Department of Transportation shall also be named additionally insured. In the event that the insurance limits required by either Kendall County or the Illinois Department of Transportation exceed the limits required by the Village, the higher limit shall be provided for all parties.

- 6) **Description of Work.** The Contractor shall complete the project in accordance with the plans and specifications contained herein. This project includes the fabrication and installation of tavern and monument signs to mark the boundaries of the Village.
- 7) **Construction Requirements.**
- a) **General.** Tavern and monument signs shall be fabricated and delivered to the Village of Oswego Public Works Department, 100 Theodore Drive, Oswego, IL 60543.
 - i) **Tavern signs legends shall be double-sided.**
 - ii) **Monument sign legends shall be single-sided.**
 - b) **Shop Drawings**
 - i) The contractor shall prepare shop drawings and provide sample materials for all signs. The Village will review the drawings and materials for approval. The contractor shall not manufacture the signs until the Village approves the drawings and materials.
 - c) **Fabrication**
 - i) Signs shall be fabricated to the dimensions shown on the plans.
 - ii) The Village will supply the logo and artwork in digital format.
 - d) **Guarantees**
 - i) All material and workmanship shall be guaranteed for a period of two (2) years from the date of acceptance.
 - e) **Completion Time.** This project shall be completed within 90 days of the notice to proceed.
- 8) **Method of Measurement.** Signs will be measured for payment for the type of sign fabricated and delivered.
- 9) **Basis of Pavement**
- a) Signs will be paid for at the contract unit price per unit for TAVERN SIGN, FABRICATE AND DELIVER; and MONUMENT SIGN, FABRICATE AND DELIVER.
- 10) **Billing/invoicing:**
- For contracts valued at greater than \$10,000 with duration of more than 30 calendar days, the contractor may submit a request for partial payment no more than once per month. The Village may process partial payments based upon the value of work completed.
- 11) **Rejection of Bids:**
- a) The Village reserves the right to cancel invitations for bids or requests for proposals without penalty when it is in the best interest of the Village. Notice of cancellation shall be sent to all individuals or entities solicited.
 - b) The Village reserves the right to reject any or all bids, to waive any minor informality or irregularity in any bid, to negotiate changes and/or modifications with the lowest responsible bidder and to make award to the response deemed to be the most advantageous to the Village. Bidders shall be required to comply with all applicable federal, state and local laws, including those relating to employment of labor without discrimination on the basis of age, race, color handicap, sex, national origin or religious creed.
 - c) Any bid not conforming to the specifications or requirements set forth by the Village in the bid request may be rejected.
 - d) Bids may also be rejected if they are made by a bidder that is deemed un-responsible due to a lack of qualifications, capacity, skill, character, experience, reliability, financial stability or quality of services, supplies, materials, equipment or labor.

12) Award of Bid:

- a) Formal bid submission shall be tabulated and a recommendation shall be prepared by the Department Head making a purchase subject to the formal bid requirements and sent to the Finance Director for review. If an award is to be made to other than the lowest bidder or if the purchase was not included in the fiscal year budget, justification must be made in writing.
- b) The Finance Director shall send a recommendation and tabulation of all formal bids received for purchases meeting the requirements to the Village President and the Board of Trustees for consideration of awarding a formal contract.
- c) All awards made in accordance with this Code are final determinations.

13) Change Orders:

- a) After a contract is awarded pursuant to the competitive bid procedures specified herein, additional purchases or modifications may be made under the contract, or the terms of the contract may be extended, without rebidding the materials, supplies, services or equipment involved, provided that the change order:
 - i) Is not of such a size or nature as to undermine the integrity of the original bidding process; and
 - ii) Is germane to the original contract; and
 - iii) Does not exceed twenty percent (20%) of the contractor amount; and
 - iv) Is approved by the Board of Trustees. However, the Village Administrator, or his/her designee can approve change orders for amounts that are not greater than fifteen thousand dollars (\$15,000.00). The Village Board shall be informed of any such Village Administrator approved change order at the next Village Board meeting.
- b) Change orders for contracts for public improvements shall be as provided by state law.

14) Construction Contracts:

- a) The bidder must furnish and pay for satisfactory performance, labor and material payment bonds in the amount of one hundred ten percent (110%) of the contract amount and any other security required by law or by the specifications for this particular project. Upon receipt of the performance bond, the Village will return the bid bond to the bidder.
- b) The bidder must comply with all applicable laws prerequisite to doing business in the state.
- c) The bidder must have a valid Federal Employer Tax Identification Number or Tax Identification Number (for individuals).
- d) The bidder must provide a Statement of Compliance with provisions of the State and Federal Equal Opportunity Employer requirements.
- e) The bidder must provide evidence of any professional or trade license required by law or local ordinance for any trade or specialty area in which the Contractor is seeking a contract award. Additionally, the Contractor must disclose any suspension or revocation of such license held by the company, or of any director, officer or manager of the company. Any material changes to the Contractor's status, at any time, must be reported in writing to the Village within 14 days of its occurrence. Failure to comply with this requirement is grounds for the Contractor to be deemed non-responsible.
- f) The bidder must provide the name and addresses of all known Subcontractors, the general type of work to be performed by these Subcontractors and the expected amount of money that each will receive under the contract.

If at any time during the term of the contract a Contractor adds or changes any Subcontractors, he or she shall promptly notify, in writing, the Village Finance Director or their designee of the names and addresses of each new or replaced Subcontractor and the general type of work to be performed.

- g) The bidder must provide an affidavit indicating all incomplete work under Contractor and all pending Contractors, along with a schedule of the expected completion of each such contract.

15) Additional Items

a) Contract Requirements

The successful bidder will be required to enter into a contract with the Village of Oswego consistent with the terms of this Request for Proposal which should contain the following terms:

i) Wage Rate Requirements

- (1) The Contract shall be based upon payment by Contractor and his Subcontractor of wage rates not less than the prevailing hourly wage rate for each classification of worker engaged on the work as determined by the State of Illinois, Department of Labor.
- (2) A copy of the wage determination shall be posted by the Contractor in a conspicuous place at the site of the work where it can be easily seen by the workers.
- (3) The Contractor shall maintain certified time sheets and submit to the Village with final invoice.
- (4) The Contractor will be required to sign a Wage Rate Requirement Certification.

ii) Prevailing Wage

Some or all of the work herein may be subject to the provisions of Prevailing Wage Act, 820 ILCS 130/0.01 et.seq., providing for the payment of prevailing rate wages to all laborers, workmen and mechanics engaged on work. The Contractor agrees that, prior to making any payments to its own laborers, workers, or mechanics or to any subcontractor it will determine whether it must legally pay wages in accordance with the Prevailing Wage Act, and if so legally required, pay the then-current prevailing rate of wage as determined by the Illinois Department of Labor and posted at: <http://www.state.il.us/agency/idol/>. The prevailing wage for the month of July is attached.

The Village may at any time inquire of the Contractor as to rates of wages being paid employees of the Contractor, and any subcontractor or material men, whereupon such information shall be promptly provided by the Contractor. The Contractor shall agree to indemnify the Village for any and all violations of the prevailing wage laws and any rules and regulations now and hereafter issued pursuant to said laws.

The Contractor shall insert into each subcontract and into the project specifications for each subcontract a written stipulation requiring all laborers, workers and mechanics performing work under the contract to comply with the Prevailing Wage Act and to require each subcontractor to insert into each lower-tiered contract and into the project specification for each lower tiered subcontract a similar stipulation.

iii) Indemnification

To the fullest extent permitted by law, Contractor shall indemnify, defend, save and hold the Village, its trustees, officers, employees, agents, attorneys and lenders (collectively the "Indemnitees") harmless from and against all loss and expense (including, but not limited to, reasonable attorney's fees and other costs and

expenses) by reason of the liability imposed by law upon the Indemnitees, or any of them, for damages because of bodily injury, occupational sickness or disease, including death, resulting therefrom, sustained by any employees of Contractor or subcontractors, while performing the work or while at the site where work under the Contract is being conducted or elsewhere, while engaged in the performance of Work under the Contractor, or sustained by any person or persons other than employees of Contractor, however such injuries may be caused, whether attributable to a breach of statutory duty or administrative regulation or otherwise, and such injuries for which liability is imputed to the Indemnitees, or any of them, or claims for property damage because of injury to or destruction of tangible property, directly or indirectly arising or alleged to arise out of the performance of or the failure to perform the work or the failure to protect the work or the site, or the condition of the work, the site, adjoining land or driveways, or streets or alleys used in connection with the performance of the work. Without limiting the generality of the foregoing, the defense and indemnity set forth in this section includes, subject only to the limitations contained in this section, all liabilities, damages, losses, claims, demands and actions on account of bodily injury, death or property loss to an Indemnitee or to any other person or entities, whether based upon, or claimed to be based upon, statutory, contractual, tort or other liability of any Indemnitee. In addition, such defense and indemnity shall include all liabilities, damages, losses, claims, demands and actions for defamation, false arrest, malicious prosecution or any other infringement or similar rights.

The provisions of the indemnity provided for herein shall not be construed to indemnify any Indemnitee for its own negligence. If any, to the extent not permitted by law or to eliminate or reduce any other indemnification, right or remedy which the Village is otherwise entitled to assert.

If any claim indemnified hereunder has not been settled or discharged when the work is completed, final payment of the Contract Sum shall not be due, unless and until Contractor provides a bond or other security equal to 150% of the amount of such claim in a form and substance satisfactory to the Village. In any and all claims against any Indemnitee or any of its agents or employees by any employee of Contractor, anyone directly or indirectly employed by him or anyone for whose acts he may be liable, the indemnification obligation under this Section shall not be limited in any way by any limitation on the amount or type of damages, compensation or benefits payable by or for Contractor under Worker's Compensation acts or other employees benefit acts.

iv) Sexual Harassment

During the entire term of the contract, Contractor shall have in full force and effect a written Sexual Harassment Policy, which complies with the Illinois Human Rights Act (775- ILCS 5/1-101 et.seq.) including at least the following: 1) a statement on the illegality of sexual harassment; 2) the definition of sexual harassment under Illinois Law; 3) a description of sexual harassment, utilizing examples; 4) an internal complaint process, including penalties; 5) the legal recourse, investigative and complaint process available through the Illinois Department of Human Rights ("Department") and the Illinois Human Rights Commission ("Commission"); 6) directions on how to contact the Department and the Commission; and 7) protection against retaliation as provided by Section 6-101 of the Act.

v) Drug Free Workplace

In compliance with State of Illinois Compiled Statutes, Chapter 30-580, The Contractor certifies and agrees that it will provide a drug free workplace by:

(1) Publishing a Statement:

- (a) Notifying employees that the unlawful manufacture, distribution, dispensing, possession, or use of a controlled substance, including cannabis, is prohibited in the Contractor's workplace.
- (b) Specifying the actions that will be taken against employees for violations of such prohibition.

(2) Notifying the employee that, as a condition of employment on such Contract, the employee will:

- (a) Abide by the terms of the statement; and
- (b) Notify the employer of any criminal drug statute conviction for a violation occurring in the workplace no later than five (5) days after such conviction.
- (3) Establishing a drug free awareness program to inform employees about:
 - (a) The dangers of drug abuse in the workplace;
 - (b) The Contractor's policy for maintaining a drug free workplace;
 - (c) Available counseling, rehabilitation, or assistance programs; and
 - (d) Penalties imposed for drug violations.
- (4) Providing a copy of the Statement required by subsection (a) to each employee engaged in the performance of the Contract and to post the Statement in a prominent place in the workplace.
- (5) Notifying the contracting agency within ten (10) days after receiving notice of any violations as listed above.
- (6) Imposing a sanction on, or requiring the satisfactory participation in a drug abuse assistance or rehabilitation program, by any employee who is so convicted, as required by Section 5 of the Drug Free Workplace Act.
- (7) Assisting employees in selecting a course of action in the event drug counseling, treatment, and rehabilitation are required and indicating that a trained referral team is in place.
- (8) Making a good faith effort to continue to maintain a drug free workplace through implementation of the Drug Free Workplace Act.
- (9) The Contractor will be required to sign a Drug Free Workplace Certification.

vi) Substance Abuse Prevention on Public Works Projects

Before an employer commences work on a public works project as defined in 820 ILCS 130/2, the employer shall have in place a written program which meets or exceeds the program requirements in the Substance Abuse Prevention on Public Works Projects Act, to be filed with the public body engaged in the construction of the public works and made available to the general public, for the prevention of substance abuse among its employees. The testing must be performed by a laboratory that is certified for Federal Workplace Drug Testing Programs by the Substance Abuse and Mental Health Service Administration of the U.S. Department of Health and Human Services. At a minimum, the program shall include all of the following:

- (1) A minimum requirement of a 9 panel urine drug test plus a test for alcohol. Testing an employee's blood may only be used for post-accident testing, however, blood testing is not mandatory for the employer where a urine test is sufficient.
- (2) A prohibition against the actions or conditions specified in 820 ILCS 265/10.
- (3) A requirement that employees performing the work on a public works project submit to pre-hire, random, reasonable suspicion, and post-accident drug and alcohol testing. Testing of an employee before commencing work on a public works project is not required if the employee has been participating in a random testing program during the 90 days preceding the date on which the employee commenced work on the public works project.
- (4) A procedure for notifying an employee who violates 820 ILCS 265/10, who tests positive for the presence of a drug in his or her system, or who refuses to submit to drug or alcohol testing as required under the program that the employee may not perform work on a public works project until the employee meets the conditions specified in subdivisions (2)(A) and (2)(B) of 820 ILCS 265/20.

i) Non-Collusion

The Contractor is barred from bidding for this contract as a result of a violation of either Section 33E-3 or Section 33E-4 of Chapter 38 of the Illinois Revised Statutes concerning bid rigging, rotating, kickbacks, bribery and interference with public contracts. The Contractor will be required to sign the Non-Collusion Certification.

- (1) Contractor will be required to sign the Non-Collusion Certification.

vii) Ineligible Contractors Or Vendors

The Contractor shall certify their review of the village debarment list found at www.oswegoil.org and to further comply with all provisions of Title 1-16-16 of the Village Code. Each proposal, bid or quotation must also include a listing of all intended subcontractors.

Bids received from any listed contractor in response to an invitation for bids shall be entered on the abstract of bids and rejected. Proposals, quotations, or offers received from any listed contractor shall not be evaluated for award or included in the competitive range, nor shall discussions be conducted with a listed offer or during a period of ineligibility. If the period of ineligibility expires or is terminated prior to award, the village may, but is not required to, consider such proposals, quotations, or offers.

b) Compliance With Laws And Regulations

In connection with the performance of the work, the Contractor shall comply with all statutes, laws, regulations, and orders of federal, state, county, or municipal authorities which shall impose any obligation or duty upon the Contractor.

IN WITNESS WHEREOF the parties hereto have executed or caused to be executed by their duly authorized agents, this contract in DUPLICATE, each of which shall be deemed original, on the day and year first written.

Steve Jones, Village of Oswego Administrator Date

Attest _____ Title _____

(Printed Name of Contractor)

Address Date

City State Zip Code

Signature of Authorized Representative

Title Date

DRUG FREE WORKPLACE CERTIFICATION

In compliance with State of Illinois Compiled Statutes, Chapter 30-580, The Contractor certifies and agrees that it will provide a drug free workplace by:

Publishing a Statement:

- A. Notifying employees that the unlawful manufacture, distribution, dispensing, possession, or use of a controlled substance, including cannabis, is prohibited in the Contractor’s workplace.
- B. Specifying the actions that will be taken against employees for violations of such prohibition.
- C. Notifying the employee that, as a condition of employment on such Contract, the employee will:
 - 1. Abide by the terms of the statement; and
 - 2. Notify the employer of any criminal drug statute conviction for a violation occurring in the workplace no later than five (5) days after such conviction.
- D. Establishing a Drug Free Awareness Program to inform employees about:
 - 1. The dangers of drug abuse in the workplace;
 - 2. The Contractor’s policy for maintaining a drug free workplace;
 - 3. Available counseling, rehabilitation, or assistance programs; and
 - 4. Penalties imposed for drug violations.
- E. Providing a copy of the Statement required by subsection (a) to each employee engaged in the performance of the Contract and to post the Statement in a prominent place in the workplace.
- F. Notifying the contracting agency within ten (10) days after receiving notice under part (B) of paragraph (3) of subsection (a) above from an employee or otherwise receiving actual notice of such conviction.
- G. Imposing a sanction on, or requiring the satisfactory participation in a Drug Abuse Assistance or Rehabilitation Program, by any employee who is so convicted, as required by Section 5 of the Drug Free Workplace Act.
- H. Assisting employees in selecting a course of action in the event drug counseling, treatment, and rehabilitation are required and indicating that a trained referral team is in place.
- I. Making a good faith effort to continue to maintain a drug free workplace through implementation of the Drug Free Workplace Act.

The undersigned affirms, under penalties of perjury, that he/she is authorized to execute this certification on behalf of the designated organization.

(Printed name of Contractor)

Address

City State Zip Code

Signature of Authorized Representative Title Date

SUBSTANCE ABUSE PREVENTION ON PUBLIC WORKS PROJECTS

In compliance with State of Illinois Compiled Statutes, Chapter 820-265, The Contractor certifies and agrees that it will provide for substance abuse prevention program for public works projects by:

- 1) Having in place a written program for the prevention of substance abuse among its employees. which meets or exceeds the program requirements in the Substance Abuse Prevention on Public Works Projects Act. At a minimum, the program shall include all of the following:
 - a) A minimum requirement of a 9 panel urine drug test plus a test for alcohol. Testing an employee's blood may only be used for post-accident testing, however, blood testing is not mandatory for the employer where a urine test is sufficient.
 - b) A prohibition against the actions or conditions specified in 820 ILCS 265/10.
 - c) A requirement that employees performing the work on a public works project submit to pre-hire, random, reasonable suspicion, and post-accident drug and alcohol testing. Testing of an employee before commencing work on a public works project is not required if the employee has been participating in a random testing program during the 90 days preceding the date on which the employee commenced work on the public works project.
 - d) A procedure for notifying an employee who violates 820 ILCS 265/10, who tests positive for the presence of a drug in his or her system, or who refuses to submit to drug or alcohol testing as required under the program that the employee may not perform work on a public works project until the employee meets the conditions specified in subdivisions (2)(A) and (2)(B) of 820 ILCS 265/20.
- 2) Filing a copy of the plan with the Village prior to the start of construction of any public works. This plan may be made available to the general public.
- 3) Implementing a testing program performed by a laboratory that is certified for Federal Workplace Drug Testing Programs by the Substance Abuse and Mental Health Service Administration of the U.S. Department of Health and Human Services.

The undersigned affirms, under penalties of perjury, that he/she is authorized to execute this certification on behalf of the designated organization.

(Printed name of Contractor)

Address

City State Zip Code

Signature of Authorized Representative Title Date

NON-COLLUSION CERTIFICATE

The Undersigned Bidder is not barred from bidding for this Contract as a result of a violation of either Section 33E-3 or Section 33E-4 of Chapter 38 of the Illinois Revised Statutes concerning bid rigging, rotating, kickbacks, bribery and interference with public contracts.

(Printed Name of Contractor)

Address

City

State

Zip Code

Signature of Authorized Representative

Title

Date

ELIGIBLE CONTRACTOR AND SUBCONTRACTOR CERTIFICATE

The Undersigned Bidder is not barred from bidding for this Contract as a result of a violation of either Section 33E-3 or Section 1-19-16 of The Village Code regarding ineligible contractors.

(Printed Name of Contractor)

Address

City

State

Zip Code

Signature of Authorized Representative

Title

Date

STATE AND FEDERAL EQUAL OPPORTUNITY EMPLOYER CERTIFICATE

The Undersigned Bidder agrees to comply with all State and Federal Equal Opportunity Employer laws.

(Printed Name of Contractor)

Address

City

State

Zip Code

Signature of Authorized Representative

Title

Date

REFERENCES

VILLAGE OF OSWEGO

General Information, list below current business references for whom you have performed work similar to that required by this proposal.

Facility: _____

Address: _____

City, State, Zip Code: _____

Telephone Number: _____

Contact Person: _____

Dates of Service: _____

Facility: _____

Address: _____

City, State, Zip Code: _____

Telephone Number: _____

Contact Person: _____

Dates of Service: _____

Facility: _____

Address: _____

City, State, Zip Code: _____

Telephone Number: _____

Contact Person: _____

Dates of Service: _____

If additional sheets are needed, please make copies.

SUBCONTRACTORS

VILLAGE OF OSWEGO

Provide the name, contact information, and value of work for each and every subcontractor which will be employed on this project.

Subcontractor No. 1: _____

Address: _____

City, State, Zip Code: _____

Telephone Number: _____

Value of Work Subcontracted: _____

Nature of Work Subcontracted: _____

Subcontractor No. 2: _____

Address: _____

City, State, Zip Code: _____

Telephone Number: _____

Value of Work Subcontracted: _____

Nature of Work Subcontracted: _____

Subcontractor No. 3: _____

Address: _____

City, State, Zip Code: _____

Telephone Number: _____

Value of Work Subcontracted: _____

Nature of Work Subcontracted: _____

If additional sheets are needed, please make copies.

BID SHEET

VILLAGE ENTRY SIGNS

Pay Item	Description	Quantity	Unit	Unit Cost	Cost
1.	Tavern Sign, Fabricate and Deliver	8	Each		\$
2.	Monument Sign, Fabricate and Deliver	8	Each		\$
	Total				\$

PRINTED NAME _____

SIGNED _____

TITLE _____

COMPANY _____

ADDRESS _____

CITY _____ STATE _____ ZIP CODE _____

PHONE NUMBER _____

DATE _____

CONTRACTOR BID AGREEMENT

TO: Village of Oswego
100 Parker's Mill
Oswego, IL. 60543

The undersigned bidder, in compliance with your advertisement for bids for work as specified, and related documents prepared by or at the direction of the Village of Oswego, Owner, and being familiar with all conditions surrounding the work, including availability of labor and material, does hereby propose to furnish materials, labor, equipment and services and pay for same and shall perform all work required for the completion of the Project, in accordance with the Contract documents and at the price provided.

The undersigned bidder understands that prevailing wages must be paid in connection with the work, and agrees to maintain and provide to the Village upon its request, required documentation to support compliance with the Illinois Prevailing Wage Act, in accordance with the law.

Bidder certifies this bid to be for the project described in the Instruction to Bidders document and to be in accordance with plans, specifications and Contract documents, including the invitation for bids.

In no event shall any delays or extensions of time be construed as cause or justification for payment of extra compensation to the Contractor. Any claims for an increase of the Contract time shall be made in writing to the Village within seven (7) days of the cause.

Signed: _____

Print Name: _____

Title: _____

Company Name: _____

Date: _____

Kendall County Prevailing Wage for October 2014

(See explanation of column headings at bottom of wages)

Trade Name	RG	TYP	C	Base	FRMAN	M-F>8	OSA	OSH	H/W	Pensn	Vac	Trng	
=====	==	===	=	=====	=====	=====	===	===	=====	=====	=====	=====	
ASBESTOS ABT-GEN		ALL		38.200	38.700	1.5	1.5	2.0	13.42	10.48	0.000	0.500	
ASBESTOS ABT-MEC		BLD		35.100	37.600	1.5	1.5	2.0	11.17	10.76	0.000	0.720	
BOILERMAKER		BLD		44.240	48.220	2.0	2.0	2.0	6.970	17.54	0.000	0.350	
BRICK MASON		BLD		42.580	46.840	1.5	1.5	2.0	9.850	13.60	0.000	1.030	
CARPENTER		ALL		42.520	44.520	1.5	1.5	2.0	13.29	12.76	0.000	0.630	
CEMENT MASON		ALL		42.900	44.900	2.0	1.5	2.0	9.900	16.32	0.000	0.500	
CERAMIC TILE FNSHER		BLD		35.810	0.000	1.5	1.5	2.0	10.55	8.440	0.000	0.710	
COMMUNICATION TECH		BLD		37.650	39.750	1.5	1.5	2.0	10.03	10.44	0.000	1.320	
ELECTRIC PWR EQMT OP		ALL		37.890	51.480	1.5	1.5	2.0	5.000	11.75	0.000	0.380	
ELECTRIC PWR GRNDMAN		ALL		29.300	51.480	1.5	1.5	2.0	5.000	9.090	0.000	0.290	
ELECTRIC PWR LINEMAN		ALL		45.360	51.480	1.5	1.5	2.0	5.000	14.06	0.000	0.450	
ELECTRIC PWR TRK DRV		ALL		30.340	51.480	1.5	1.5	2.0	5.000	9.400	0.000	0.300	
ELECTRICIAN		BLD		45.370	49.910	1.5	1.5	2.0	10.44	12.70	0.000	1.590	
ELEVATOR CONSTRUCTOR		BLD		49.900	56.140	2.0	2.0	2.0	12.73	13.46	3.990	0.600	
FENCE ERECTOR		ALL		45.060	48.660	2.0	2.0	2.0	10.52	18.81	0.000	0.400	
GLAZIER		BLD		40.000	41.500	1.5	2.0	2.0	12.49	15.99	0.000	0.940	
HT/FROST INSULATOR		BLD		48.450	50.950	1.5	1.5	2.0	11.47	12.16	0.000	0.720	
IRON WORKER		ALL		45.060	48.660	2.0	2.0	2.0	10.52	18.81	0.000	0.400	
LABORER		ALL		38.000	38.750	1.5	1.5	2.0	13.42	10.48	0.000	0.500	
LATHER		ALL		42.520	44.520	1.5	1.5	2.0	13.29	12.76	0.000	0.630	
MACHINIST		BLD		44.350	46.850	1.5	1.5	2.0	6.760	8.950	1.850	0.000	
MARBLE FINISHERS		ALL		31.400	32.970	1.5	1.5	2.0	9.850	13.10	0.000	0.600	
MARBLE MASON		BLD		41.780	45.960	1.5	1.5	2.0	9.850	13.42	0.000	0.760	
MATERIAL TESTER I		ALL		28.000	0.000	1.5	1.5	2.0	13.42	10.48	0.000	0.500	
MATERIALS TESTER II		ALL		33.000	0.000	1.5	1.5	2.0	13.42	10.48	0.000	0.500	
MILLWRIGHT		ALL		42.520	44.520	1.5	1.5	2.0	13.29	12.76	0.000	0.630	
OPERATING ENGINEER		BLD	1	47.100	51.100	2.0	2.0	2.0	17.10	11.80	1.900	1.250	
OPERATING ENGINEER		BLD	2	45.800	51.100	2.0	2.0	2.0	17.10	11.80	1.900	1.250	
OPERATING ENGINEER		BLD	3	43.250	51.100	2.0	2.0	2.0	17.10	11.80	1.900	1.250	
OPERATING ENGINEER		BLD	4	41.500	51.100	2.0	2.0	2.0	17.10	11.80	1.900	1.250	
OPERATING ENGINEER		BLD	5	50.850	51.100	2.0	2.0	2.0	17.10	11.80	1.900	1.250	
OPERATING ENGINEER		BLD	6	48.100	51.100	2.0	2.0	2.0	17.10	11.80	1.900	1.250	
OPERATING ENGINEER		BLD	7	50.100	51.100	2.0	2.0	2.0	17.10	11.80	1.900	1.250	
OPERATING ENGINEER		HWY	1	45.300	49.300	1.5	1.5	2.0	17.10	11.80	1.900	1.250	
OPERATING ENGINEER		HWY	2	44.750	49.300	1.5	1.5	2.0	17.10	11.80	1.900	1.250	
OPERATING ENGINEER		HWY	3	42.700	49.300	1.5	1.5	2.0	17.10	11.80	1.900	1.250	
OPERATING ENGINEER		HWY	4	41.300	49.300	1.5	1.5	2.0	17.10	11.80	1.900	1.250	
OPERATING ENGINEER		HWY	5	40.100	49.300	1.5	1.5	2.0	17.10	11.80	1.900	1.250	
OPERATING ENGINEER		HWY	6	48.300	49.300	1.5	1.5	2.0	17.10	11.80	1.900	1.250	
OPERATING ENGINEER		HWY	7	46.300	49.300	1.5	1.5	2.0	17.10	11.80	1.900	1.250	
ORNAMNTL IRON WORKER		ALL		45.060	48.660	2.0	2.0	2.0	10.52	18.81	0.000	0.400	
PAINTER		ALL		41.730	43.730	1.5	1.5	1.5	10.30	8.200	0.000	1.350	
PAINTER SIGNS		BLD		33.920	38.090	1.5	1.5	1.5	2.600	2.710	0.000	0.000	
PILEDRIVER		ALL		42.520	44.520	1.5	1.5	2.0	13.29	12.76	0.000	0.630	
PIPEFITTER		BLD		46.000	49.000	1.5	1.5	2.0	9.000	15.85	0.000	1.780	
PLASTERER		BLD		42.250	44.790	1.5	1.5	2.0	11.40	12.19	0.000	0.650	
PLUMBER		BLD		46.650	48.650	1.5	1.5	2.0	13.18	11.46	0.000	0.880	
ROOFER		BLD		39.700	42.700	1.5	1.5	2.0	8.280	10.06	0.000	0.530	
SHEETMETAL WORKER		BLD		44.000	46.000	1.5	1.5	2.0	10.65	13.06	0.000	0.820	
SPRINKLER FITTER		BLD		49.200	51.200	1.5	1.5	2.0	11.25	9.500	0.000	0.450	
STEEL ERECTOR		ALL		45.060	48.660	2.0	2.0	2.0	10.52	18.81	0.000	0.400	
STONE MASON		BLD		42.580	46.840	1.5	1.5	2.0	9.850	13.60	0.000	1.030	
SURVEY WORKER		--> NOT		IN EFFECT	ALL		37.000	37.750	1.5	1.5	2.0	12.97	9.930
												0.000	0.500

TERRAZZO FINISHER	BLD	37.040	0.000	1.5	1.5	2.0	10.55	10.32	0.000	0.620
TERRAZZO MASON	BLD	40.880	43.880	1.5	1.5	2.0	10.55	11.63	0.000	0.820
TILE MASON	BLD	42.840	46.840	1.5	1.5	2.0	10.55	10.42	0.000	0.920
TRUCK DRIVER	ALL 1	35.650	36.200	1.5	1.5	2.0	7.250	6.319	0.000	0.250
TRUCK DRIVER	ALL 2	35.800	36.200	1.5	1.5	2.0	7.250	6.319	0.000	0.250
TRUCK DRIVER	ALL 3	36.000	36.200	1.5	1.5	2.0	7.250	6.319	0.000	0.250
TRUCK DRIVER	ALL 4	36.200	36.200	1.5	1.5	2.0	7.250	6.319	0.000	0.250
TUCKPOINTER	BLD	42.800	43.800	1.5	1.5	2.0	8.180	12.66	0.000	0.650

Legend: RG (Region)

TYP (Trade Type - All,Highway,Building,Floating,Oil & Chip,Rivers)

C (Class)

Base (Base Wage Rate)

FRMAN (Foreman Rate)

M-F>8 (OT required for any hour greater than 8 worked each day, Mon through Fri.)

OSA (Overtime (OT) is required for every hour worked on Saturday)

OSH (Overtime is required for every hour worked on Sunday and Holidays)

H/W (Health & Welfare Insurance)

Pensn (Pension)

Vac (Vacation)

Trng (Training)

Explanations

KENDALL COUNTY

The following list is considered as those days for which holiday rates of wages for work performed apply: New Years Day, Memorial Day, Fourth of July, Labor Day, Thanksgiving Day, Christmas Day and Veterans Day in some classifications/counties. Generally, any of these holidays which fall on a Sunday is celebrated on the following Monday. This then makes work performed on that Monday payable at the appropriate overtime rate for holiday pay. Common practice in a given local may alter certain days of celebration. If in doubt, please check with IDOL.

EXPLANATION OF CLASSES

ASBESTOS - GENERAL - removal of asbestos material/mold and hazardous materials from any place in a building, including mechanical systems where those mechanical systems are to be removed. This includes the removal of asbestos materials/mold and hazardous materials from ductwork or pipes in a building when the building is to be demolished at the time or at some close future date.

ASBESTOS - MECHANICAL - removal of asbestos material from mechanical systems, such as pipes, ducts, and boilers, where the mechanical systems are to remain.

CERAMIC TILE FINISHER

The grouting, cleaning, and polishing of all classes of tile, whether for interior or exterior purposes, all burned, glazed or unglazed products; all composition materials, granite tiles, warning detectable tiles, cement tiles, epoxy composite materials, pavers, glass, mosaics, fiberglass, and all substitute materials, for tile made in tile-like units; all mixtures in tile like form of cement, metals, and other materials that are for and intended for use as a finished floor surface, stair treads, promenade roofs, walks, walls, ceilings, swimming pools, and all other places where tile is to form a finished interior or exterior. The mixing of all setting mortars including but not limited to thin-set mortars, epoxies, wall mud, and any other

sand and cement mixtures or adhesives when used in the preparation, installation, repair, or maintenance of tile and/or similar materials. The handling and unloading of all sand, cement, lime, tile, fixtures, equipment, adhesives, or any other materials to be used in the preparation, installation, repair, or maintenance of tile and/or similar materials. Ceramic Tile Finishers shall fill all joints and voids regardless of method on all tile work, particularly and especially after installation of said tile work. Application of any and all protective coverings to all types of tile installations including, but not be limited to, all soap compounds, paper products, tapes, and all polyethylene coverings, plywood, masonite, cardboard, and any new type of products that may be used to protect tile installations, Blastrac equipment, and all floor scarifying equipment used in preparing floors to receive tile. The clean up and removal of all waste and materials. All demolition of existing tile floors and walls to be re-tiled.

COMMUNICATIONS TECHNICIAN

Construction, installation, maintenance and removal of telecommunication facilities (voice, sound, data and video), telephone, security, and data inside wire, interconnect, terminal equipment, central offices, PABX and equipment, micro waves, V-SAT, bypass, CATV, WAN (wide area network), LAN (local area networks), and ISDN (integrated system digital network), pulling of wire in raceways, but not the installation of raceways.

MARBLE FINISHER

Loading and unloading trucks, distribution of all materials (all stone, sand, etc.), stocking of floors with material, performing all rigging for heavy work, the handling of all material that may be needed for the installation of such materials, building of scaffolding, polishing if needed, patching, waxing of material if damaged, pointing up, caulking, grouting and cleaning of marble, holding water on diamond or Carborundum blade or saw for setters cutting, use of tub saw or any other saw needed for preparation of material, drilling of holes for wires that anchor material set by setters, mixing up of molding plaster for installation of material, mixing up thin set for the installation of material, mixing up of sand to cement for the installation of material and such other work as may be required in helping a Marble Setter in the handling of all material in the erection or installation of interior marble, slate, travertine, art marble, serpentine, alberene stone, blue stone, granite and other stones (meaning as to stone any foreign or domestic materials as are specified and used in building interiors and exteriors and customarily known as stone in the trade), carrara, sanionyx, vitrolite and similar opaque glass and the laying of all marble tile, terrazzo tile, slate tile and precast tile, steps, risers treads, base, or any other materials that may be used as substitutes for any of the aforementioned materials and which are used on interior and exterior which are installed in a similar manner.

MATERIAL TESTER I: Hand coring and drilling for testing of materials; field inspection of uncured concrete and asphalt.

MATERIAL TESTER II: Field inspection of welds, structural steel, fireproofing, masonry, soil, facade, reinforcing steel, formwork, cured concrete, and concrete and asphalt batch plants; adjusting proportions of bituminous mixtures.

OPERATING ENGINEER - BUILDING

Class 1. Asphalt Plant; Asphalt Spreader; Autograde; Backhoes with Caisson Attachment; Batch Plant; Benoto (requires Two Engineers); Boiler and Throttle Valve; Caisson Rigs; Central Redi-Mix Plant; Combination Back Hoe Front End-loader Machine; Compressor and Throttle Valve; Concrete Breaker (Truck Mounted); Concrete Conveyor; Concrete Conveyor (Truck Mounted); Concrete Paver Over 27E cu. ft; Concrete Paver 27E cu. ft. and Under; Concrete Placer; Concrete Placing Boom; Concrete Pump (Truck Mounted); Concrete Tower; Cranes, All; Cranes, Hammerhead; Cranes, (GCI and similar Type); Creter Crane; Spider Crane; Crusher, Stone, etc.; Derricks, All; Derricks, Traveling; Formless Curb and Gutter Machine; Grader, Elevating; Grouting Machines; Heavy Duty Self-Propelled Transporter or Prime Mover; Highlift Shovels or Front Endloader 2-1/4 yd. and over; Hoists, Elevators, outside type rack and pinion and similar machines; Hoists, One, Two and Three Drum; Hoists, Two Tugger One Floor; Hydraulic Backhoes; Hydraulic Boom Trucks; Hydro Vac (and similar equipment); Locomotives, All; Motor Patrol; Lubrication Technician; Manipulators; Pile Drivers and Skid Rig; Post Hole Digger; Pre-Stress Machine; Pump Cretes Dual Ram; Pump Cretes: Squeeze Cretes-Screw Type Pumps; Gypsum Bulker and Pump; Raised and Blind Hole Drill; Roto Mill Grinder; Scoops - Tractor Drawn; Slip-Form Paver; Straddle Buggies; Operation of Tie Back Machine; Tournapull; Tractor with Boom and Side Boom; Trenching Machines.

Class 2. Boilers; Broom, All Power Propelled; Bulldozers; Concrete Mixer (Two Bag and Over); Conveyor, Portable; Forklift Trucks; Highlift Shovels or Front Endloaders under 2-1/4 yd.; Hoists, Automatic; Hoists, Inside Elevators; Hoists, Sewer Dragging Machine; Hoists, Tugger Single Drum; Laser Screed; Rock Drill (Self-Propelled); Rock Drill (Truck Mounted); Rollers, All; Steam Generators; Tractors, All; Tractor Drawn Vibratory Roller; Winch Trucks with "A" Frame.

Class 3. Air Compressor; Combination Small Equipment Operator; Generators; Heaters, Mechanical; Hoists, Inside Elevators (remodeling or renovation work); Hydraulic Power Units (Pile Driving, Extracting, and Drilling); Pumps, over 3" (1 to 3 not to exceed a total of 300 ft.); Low Boys; Pumps, Well Points; Welding Machines (2 through 5); Winches, 4 Small Electric Drill Winches.

Class 4. Bobcats and/or other Skid Steer Loaders; Oilers; and Brick Forklift.

Class 5. Assistant Craft Foreman.

Class 6. Gradall.

Class 7. Mechanics; Welder.

OPERATING ENGINEERS - HIGHWAY CONSTRUCTION

Class 1. Asphalt Plant; Asphalt Heater and Planer Combination; Asphalt Heater Scarfire; Asphalt Spreader; Autograder/GOMACO or other similar type machines: ABG Paver; Backhoes with Caisson Attachment; Ballast Regulator; Belt Loader; Caisson Rigs; Car Dumper; Central Redi-Mix Plant; Combination Backhoe Front Endloader Machine, (1 cu. yd. Backhoe Bucket or over or with attachments); Concrete Breaker (Truck Mounted); Concrete Conveyor; Concrete Paver over 27E cu. ft.; Concrete

Placer; Concrete Tube Float; Cranes, all attachments; Cranes, Tower Cranes of all types: Creter Crane: Spider Crane; Crusher, Stone, etc.; Derricks, All; Derrick Boats; Derricks, Traveling; Dredges; Elevators, Outside type Rack & Pinion and Similar Machines; Formless Curb and Gutter Machine; Grader, Elevating; Grader, Motor Grader, Motor Patrol, Auto Patrol, Form Grader, Pull Grader, Subgrader; Guard Rail Post Driver Truck Mounted; Hoists, One, Two and Three Drum; Heavy Duty Self-Propelled Transporter or Prime Mover; Hydraulic Backhoes; Backhoes with shear attachments up to 40' of boom reach; Lubrication Technician; Manipulators; Mucking Machine; Pile Drivers and Skid Rig; Pre-Stress Machine; Pump Cretes Dual Ram; Rock Drill - Crawler or Skid Rig; Rock Drill - Truck Mounted; Rock/Track Tamper; Roto Mill Grinder; Slip-Form Paver; Snow Melters; Soil Test Drill Rig (Truck Mounted); Straddle Buggies; Hydraulic Telescoping Form (Tunnel); Operation of Tieback Machine; Tractor Drawn Belt Loader; Tractor Drawn Belt Loader (with attached pusher - two engineers); Tractor with Boom; Tractaire with Attachments; Traffic Barrier Transfer Machine; Trenching; Truck Mounted Concrete Pump with Boom; Raised or Blind Hole Drills (Tunnel Shaft); Underground Boring and/or Mining Machines 5 ft. in diameter and over tunnel, etc; Underground Boring and/or Mining Machines under 5 ft. in diameter; Wheel Excavator; Widener (APSCO).

Class 2. Batch Plant; Bituminous Mixer; Boiler and Throttle Valve; Bulldozers; Car Loader Trailing Conveyors; Combination Backhoe Front Endloader Machine (Less than 1 cu. yd. Backhoe Bucket or over or with attachments); Compressor and Throttle Valve; Compressor, Common Receiver (3); Concrete Breaker or Hydro Hammer; Concrete Grinding Machine; Concrete Mixer or Paver 7S Series to and including 27 cu. ft.; Concrete Spreader; Concrete Curing Machine, Burlap Machine, Belting Machine and Sealing Machine; Concrete Wheel Saw; Conveyor Muck Cars (Haglund or Similar Type); Drills, All; Finishing Machine - Concrete; Highlift Shovels or Front Endloader; Hoist - Sewer Dragging Machine; Hydraulic Boom Trucks (All Attachments); Hydro-Blaster; Hydro Excavating (excluding hose work); Laser Screed; All Locomotives, Dinky; Off-Road Hauling Units (including articulating) Non Self-Loading Ejection Dump; Pump Cretes: Squeeze Cretes - Screw Type Pumps, Gypsum Bulker and Pump; Roller, Asphalt; Rotary Snow Plows; Rototiller, Seaman, etc., self-propelled; Self-Propelled Compactor; Spreader - Chip - Stone, etc.; Scraper - Single/Twin Engine/Push and Pull; Scraper - Prime Mover in Tandem (Regardless of Size); Tractors pulling attachments, Sheeps Foot, Disc, Compactor, etc.; Tug Boats.

Class 3. Boilers; Brooms, All Power Propelled; Cement Supply Tender; Compressor, Common Receiver (2); Concrete Mixer (Two Bag and Over); Conveyor, Portable; Farm-Type Tractors Used for Mowing, Seeding, etc.; Forklift Trucks; Grouting Machine; Hoists, Automatic; Hoists, All Elevators; Hoists, Tugger Single Drum; Jeep Diggers; Low Boys; Pipe Jacking Machines; Post-Hole Digger; Power Saw, Concrete Power Driven; Pug Mills; Rollers, other than Asphalt; Seed and Straw Blower; Steam Generators; Stump Machine; Winch Trucks with "A" Frame; Work Boats; Tamper-Form-Motor Driven.

Class 4. Air Compressor; Combination - Small Equipment Operator; Directional Boring Machine; Generators; Heaters, Mechanical; Hydraulic Power Unit (Pile Driving, Extracting, or Drilling); Light Plants, All (1 through 5); Pumps, over 3" (1 to 3 not to exceed a total of 300 ft.); Pumps, Well Points; Vacuum Trucks (excluding hose work); Welding Machines (2 through 5); Winches, 4 Small Electric Drill Winches.

Class 5. SkidSteer Loader (all); Brick Forklifts; Oilers.

Class 6. Field Mechanics and Field Welders

Class 7. Dowell Machine with Air Compressor; Gradall and machines of like nature.

SURVEY WORKER - Operated survey equipment including data collectors, G.P.S. and robotic instruments, as well as conventional levels and transits.

TRUCK DRIVER - BUILDING, HEAVY AND HIGHWAY CONSTRUCTION

Class 1. Two or three Axle Trucks. A-frame Truck when used for transportation purposes; Air Compressors and Welding Machines, including those pulled by cars, pick-up trucks and tractors; Ambulances Batch Gate Lockers; Batch Hopperman; Car and Truck Washers; Carry-alls; Fork Lifts and Hoisters; Helpers; Mechanics Helpers and Greasers; Oil Distributors 2-man operation; Pavement Breakers; Pole Trailer, up to 40 feet; Power Mower Tractors; Self-propelled Chip Spreader; Skipman; Slurry Trucks, 2-man operation; Slurry Truck Conveyor Operation, 2 or 3 man; Teamsters; Unskilled Dumpman; and Truck Drivers hauling warning lights, barricades, and portable toilets on the job site.

Class 2. Four axle trucks; Dump Crets and Adgetors under 7 yards; Dumpsters, Track Trucks, Euclids, Hug Bottom Dump Turnapulls or Turnatrailers when pulling other than self-loading equipment or similar equipment under 16 cubic yards; Mixer Trucks under 7 yards; Ready-mix Plant Hopper Operator, and Winch Trucks, 2 Axles.

Class 3. Five axle trucks; Dump Crets and Adgetors 7 yards and over; Dumpsters, Track Trucks, Euclids, Hug Bottom Dump Turnatrailers or turnapulls when pulling other than self-loading equipment or similar equipment over 16 cubic yards; Explosives and/or Fission Material Trucks; Mixer Trucks 7 yards or over; Mobile Cranes while in transit; Oil Distributors, 1-man operation; Pole Trailer, over 40 feet; Pole and Expandable Trailers hauling material over 50 feet long; Slurry trucks, 1-man operation; Winch trucks, 3 axles or more; Mechanic--Truck Welder and Truck Painter.

Class 4. Six axle trucks; Dual-purpose vehicles, such as mounted crane trucks with hoist and accessories; Foreman; Master Mechanic; Self-loading equipment like P.B. and trucks with scoops on the front.

TERRAZZO FINISHER

The handling of sand, cement, marble chips, and all other materials that may be used by the Mosaic Terrazzo Mechanic, and the mixing, grinding, grouting, cleaning and sealing of all Marble, Mosaic, and Terrazzo work, floors, base, stairs, and wainscoting by hand or machine, and in addition, assisting and aiding Marble, Masonic, and Terrazzo Mechanics.

Other Classifications of Work:

For definitions of classifications not otherwise set out, the Department generally has on file such definitions which are available. If a task to be performed is not subject to one of the classifications of pay set out, the Department will upon being contacted state which neighboring county has such a classification and provide such rate, such rate being deemed to exist by reference in

this document. If no neighboring county rate applies to the task, the Department shall undertake a special determination, such special determination being then deemed to have existed under this determination. If a project requires these, or any classification not listed, please contact IDOL at 217-782-1710 for wage rates or clarifications.

LANDSCAPING

Landscaping work falls under the existing classifications for laborer, operating engineer and truck driver. The work performed by landscape plantsman and landscape laborer is covered by the existing classification of laborer. The work performed by landscape operators (regardless of equipment used or its size) is covered by the classifications of operating engineer. The work performed by landscape truck drivers (regardless of size of truck driven) is covered by the classifications of truck driver.

MATERIAL TESTER & MATERIAL TESTER/INSPECTOR I AND II

Notwithstanding the difference in the classification title, the classification entitled "Material Tester I" involves the same job duties as the classification entitled "Material Tester/Inspector I". Likewise, the classification entitled "Material Tester II" involves the same job duties as the classification entitled "Material Tester/Inspector II".

PLAN SHEETS

SIGN DETAILS



LOCATION MAPS

STD. NO. TITLE

701001-02 Off-Road Operations, 2L, 2W, More Than 15' (4.5 m) Away
701006-05 Off-Road Operations, 2L, 2W, 15' (4.5 m) to 24" (600 mm) From Pavement Edge
701101-04 Off-Road Operations, Multilane, 15' (4.5 m) to 24" (600 mm) From Pavement Edge
701106-02 Off-Road Operations, Multilane, More Than 15' (4.5 m) Away
701501-06 Urban Lane Closure, 2L, 2W, Undivided
701601-09 Urban Lane Closure, Multilane, 1W or 2W with Nontraversable Median
701602-07 Urban Lane Closure, Multilane, 2W with Bidirectional Left Turn Lane
701606-09 Urban Lane Closure, Multilane, 2W with Mountable Median
701901-03 Traffic Control Devices

Entryway Signage

Oswego, Illinois



TAVERN SIGN

PREPARED FOR:

 100 Parkers Mill Oswego, IL 60543

PREPARED BY:


Schoppe Design Associates, Inc.
 LAND PLANNING & LANDSCAPE ARCHITECTURE

126 S. Main Street
 Oswego, IL 60543
 p: 630 551-3355
 f: 630 551-3639
schoppedesign.net

SCALE:
 AS NOTED
 DATE:
 2014-08-29
 ISSUED FOR
 CONSTRUCTION
 SHEET
 1 OF 1

Entryway Signage

Oswego, Illinois



MONUMENT SIGN

PREPARED FOR:



100 Parkers Mill Oswego, IL 60543

PREPARED BY:



Schoppe Design Associates, Inc.
LAND PLANNING & LANDSCAPE ARCHITECTURE


126 S. Main Street
Oswego, IL 60543
p: 630 551-3355
f: 630 551-3639
schoppedesign.net

SCALE:
AS NOTED


DATE:
2014-08-29
ISSUED FOR
CONSTRUCTION

SHEET


1 OF 2




CONE




REFLECTORIZED CONE




FLEXIBLE DELINEATOR




**VERTICAL PANEL
POST MOUNTED**




DRUM




TYPE I BARRICADE




TYPE II BARRICADE




TYPE III BARRICADE



**DIRECTION INDICATOR
BARRICADE**



VERTICAL BARRICADE



**DETECTABLE PEDESTRIAN
CHANNELIZING BARRICADE**

* Warning lights (if required)

GENERAL NOTES

All heights shown shall be measured above the pavement surface.

All dimensions are in inches (millimeters) unless otherwise shown.

DATE	REVISIONS
1-1-14	Modified flagger sign height.
	Added highway construction speed zone signs.
1-1-12	Added DETECTABLE PEDESTRIAN CHANNELIZING BARRICADE.

**TRAFFIC CONTROL
DEVICES**

(Sheet 1 of 3)


STANDARD 701901-03

Illinois Department of Transportation

APPROVED Justin Mann January 1, 2014
ENGINEER OF OPERATIONS


APPROVED [Signature] January 1, 2014
ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 46-1-1 03/05/11




POST MOUNTED SIGNS

** When curb or paved shoulder are present this dimension shall be 24 (600) to the face of curb or 6' (1.8 m) to the outside edge of the paved shoulder.




SIGNS ON TEMPORARY SUPPORTS

*** When work operations exceed four days, this dimension shall be 5' (1.5 m) min. If located behind other devices, the height shall be sufficient to be seen completely above the devices.



HIGH LEVEL WARNING DEVICE



FLAGGER TRAFFIC CONTROL SIGN

ROAD CONSTRUCTION NEXT X MILES	END CONSTRUCTION
G20-1(0)-6036	G20-2a(0)-6024

This signing is required for all projects 2 miles (3200 m) or more in length.

ROAD CONSTRUCTION NEXT X MILES sign shall be placed 500' (150 m) in advance of project limits.

END CONSTRUCTION sign shall be erected at the end of the job unless another job is within 2 miles (3200 m).

Dual sign displays shall be utilized on multi-lane highways.

WORK LIMIT SIGNING

WORK ZONE	W21-1115(0)-3618
SPEED LIMIT XX	R2-1-3648
PHOTO ENFORCED	R10-1108p-3618
\$XXX FINE MINIMUM	R2-1106p-3618

Sign assembly as shown on Standards or as allowed by District Operations.

END WORK ZONE SPEED LIMIT	G20-1103(0)-3660
---------------------------	------------------

This sign shall be used when the above sign assembly is used.

HIGHWAY CONSTRUCTION SPEED ZONE SIGNS

TRAFFIC CONTROL DEVICES

(Sheet 2 of 3)


STANDARD 701901-03

Illinois Department of Transportation


APPROVED January 1, 2014
Dustin Mann
 ENGINEER OF OPERATIONS

APPROVED January 1, 2014
[Signature]
 ENGINEER OF DESIGN AND ENVIRONMENT


ISSUED 1-1-97
 46-1-1



**TYPE A
ROOF
MOUNTED**




**TYPE B
ROOF OR TRAILER
MOUNTED**




**TYPE C
TRAILER
MOUNTED**



ARROW BOARDS



PLAN




SECTION A-A



TYPICAL INSTALLATION


TEMPORARY RUMBLE STRIPS



ROAD CLOSED TO ALL TRAFFIC

Reflectorized striping may be omitted on the back side of the barricades. If a Type III barricade with an attached sign panel which meets NCHRP 350 is not available, the sign may be mounted on an NCHRP 350 temporary sign support directly in front of the barricade.

**TYPICAL APPLICATIONS OF
TYPE III BARRICADES CLOSING A ROAD**



ROAD CLOSED TO THRU TRAFFIC

Reflectorized striping shall appear on both sides of the barricades. If a Type III barricade with an attached sign panel which meets NCHRP 350 is not available, the signs may be mounted on NCHRP 350 temporary sign supports directly in front of the barricade.

Illinois Department of Transportation

APPROVED January 1, 2014
Justin Mann
 ENGINEER OF OPERATIONS


APPROVED January 1, 2014
[Signature]
 ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-1-97

**TRAFFIC CONTROL
DEVICES**

(Sheet 3 of 3)

STANDARD 701901-03



SIGN SPACING	
Posted Speed	Sign Spacing
55	500' (150 m)
50-45	350' (100 m)
<45	200' (60 m)

SYMBOLS

-  Arrow board
-  Cone, drum or barricade
-  Sign on portable or permanent support
-  Work area
-  Barricade or drum with flashing light
-  Type III barricade with flashing lights
-  Flagger with traffic control sign.

- ① Refer to SIGN SPACING TABLE for distances.
- ② Required for speeds > 40 mph.
- ③ Use flagger sign only when flagger is present.
- ④ For approved sideroad closures.
- ⑤ Cones at 25' (8 m) centers for 250' (75 m). Additional cones may be placed at 50' (15 m) centers. When drums or Type I or Type II barricades are used, the interval between devices may be doubled.
- ⑥ Cones, drums or barricades at 20' (6 m) centers in taper.
- ⑦ Repeat every 1 mile (1.6 km).

GENERAL NOTES

This Standard is used where at any time, day or night, any vehicle, equipment, workers or their activities encroach on the pavement requiring the closure of one or more traffic lanes in an Urban area.

Calculate L as follows:

SPEED LIMIT	FORMULAS	
	English	(Metric)
40 mph (70 km/h) or less:	$L = \frac{WS^2}{60}$	$L = \frac{WS^2}{150}$


45 mph (80 km/h) or greater:	$L=(W)(S)$	$L=0.65(W)(S)$
------------------------------	------------	----------------


W = Width of offset in feet (meters).

S = Normal posted speed mph (km/h).

All dimensions are in inches (millimeters) unless otherwise shown.

Illinois Department of Transportation

APPROVED January 1, 2014

 ENGINEER OF SAFETY ENGINEERING

APPROVED January 1, 2014

 ENGINEER OF DESIGN AND ENVIRONMENT


ISSUED 1-1-97



DATE	REVISIONS
1-1-14	Revised workers sign number to agree with current MUTCD.
1-1-12	Corrected dimension in note ⑥. Omitted W21-I110 sign. Added W-1-6R sign.

URBAN LANE CLOSURE, MULTILANE, 2W WITH MOUNTABLE MEDIAN

(Sheet 1 of 2)


STANDARD 701606-09



 Illinois Department of Transportation
 APPROVED January 1, 2014

 ENGINEER OF SAFETY ENGINEERING
 APPROVED January 1, 2014

 ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-1-97

**URBAN LANE CLOSURE,
 MULTILANE, 2W WITH
 MOUNTABLE MEDIAN**
 (Sheet 2 of 2)
STANDARD 701606-09



SIGN SPACING	
Posted Speed	Sign Spacing
55	500' (150 m)
50-45	350' (100 m)
<45	200' (60 m)

SYMBOLS

- Arrow board
- Cone, drum or barricade
- Sign on portable or permanent support
- Work area
- Barricade or drum with flashing light
- Type III barricade with flashing lights
- Flagger with traffic control sign.

- ① Refer to SIGN SPACING TABLE for distances.
- ② Required for speeds > 40 MPH
- ③ Cones at 25' (8 m) centers for 250' (75 m). Additional cones may be placed at 50' (15 m) centers. When drums or Type I or Type II barricades are used, the interval between devices may be doubled.
- ④ Use flagger sign only when flagger is present.
- ⑤ For approved sideroad closures.
- ⑥ Cones, drums or barricades at 20' (6 m) in taper.

GENERAL NOTES

This Standard is used where at any time, day or night, any vehicle, equipment, workers or their activities encroach on the pavement during shoulder operations or where construction requires lane closures in urban areas.

Calculate L as follows:

SPEED LIMIT	FORMULAS	
	English	(Metric)
40 mph (70 km/h) or less:	$L = \frac{WS^2}{60}$	$L = \frac{WS^2}{150}$
45 mph (80 km/h) or greater:	$L = (W)(S)$	$L = 0.65(W)(S)$

W = Width of offset in feet (meters).
 S = Normal posted speed mph (km/h).

All dimensions are in inches (millimeters) unless otherwise shown.

Illinois Department of Transportation

APPROVED January 1, 2014
[Signature]
 ENGINEER OF SAFETY ENGINEERING


APPROVED January 1, 2014
[Signature]
 ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-1-97

DATE	REVISIONS
1-1-14	Revised workers sign number to agree with current MUTCD.
1-1-13	Omitted text 'WORKERS' sign.

**URBAN LANE CLOSURE,
 MULTILANE, 1W OR 2W WITH
 NONTRAVERSABLE MEDIAN**
 (Sheet 1 of 2)

STANDARD 701601-09



Illinois Department of Transportation


APPROVED January 1, 2014
[Signature]
 ENGINEER OF SAFETY ENGINEERING

APPROVED January 1, 2014
[Signature]
 ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-1-97

**URBAN LANE CLOSURE,
 MULTILANE, 1W OR 2W WITH
 NONTRAVERSABLE MEDIAN**
 (Sheet 2 of 2)

STANDARD 701601-09



SIGN SPACING	
Posted Speed	Sign Spacing
55	500' (150 m)
50-45	350' (100 m)
<45	200' (60 m)

SYMBOLS

- Work area
- Cone, drum or barricade (not required for moving operations)
- Sign on portable or permanent support
- Flagger with traffic control sign
- Barricade or drum with flashing light
- Type III barricade with flashing lights

- ① Refer to SIGN SPACING TABLE for distances.
- ② For approved sideroad closures.
- ③ Cones at 25' (8 m) centers for 250' (75 m). Additional cones may be placed at 50' (15 m) centers. When drums or Type I or Type II barricades are used, the interval between devices may be doubled.
- ④ Cones, drums or barricades at 20' (6 m) centers.

GENERAL NOTES

This Standard is used where at any time, day or night, any vehicle, equipment, workers or their activities encroach on the pavement requiring the closure of one traffic lane in an urban area.

All dimensions are in inches (millimeters) unless otherwise shown.

Illinois Department of Transportation

APPROVED January 1, 2011

 ENGINEER OF SAFETY ENGINEERING

APPROVED January 1, 2011

 ENGINEER OF DESIGN AND ENVIRONMENT


ISSUED 1-1-97

DATE	REVISIONS
1-1-11	Revised flagger sign.
1-1-09	Switched units to English (metric).
	Corrected sign No.'s.

**URBAN LANE CLOSURE,
2L, 2W, UNDIVIDED**

STANDARD 701501-06

① Cones at 25' (8 m) centers for 250' (75 m). Additional cones may be placed at 50' (15 m) centers. When drums or barricades are used, the interval between devices may be doubled.



SYMBOLS

-  Work area
-  Sign
-  Barricade or drum
-  Cone, drum or barricade
-  Flagger with traffic control sign

TYPICAL APPLICATIONS

- Isolated patching
- Utility operations
- Storm sewer
- Culverts
- Cable placement

GENERAL NOTES

This Standard is used where at any time, any vehicles, equipment, workers or their activities will encroach in the area between the center line and a line 24 (600) outside the edge of pavement for daylight operation.

When the distance between successive work areas exceeds 2000' (600 m), additional warning signs, flaggers, and taper shall be placed as shown.


All dimensions are in inches (millimeters) unless otherwise shown.


DATE	REVISIONS
1-1-11	Revised flagger sign.
1-1-09	Switched units to English (metric).
	Corrected sign No.'s.

**LANE CLOSURE, 2L, 2W,
DAY ONLY,
FOR SPEEDS ≥ 45 MPH**


STANDARD 701201-04

Illinois Department of Transportation

APPROVED January 1, 2011

 ENGINEER OF SAFETY ENGINEERING

APPROVED January 1, 2011

 ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-1-97



TYPICAL APPLICATIONS

- Landscaping work
- Utility work
- Fencing contracts

GENERAL NOTES

This Standard is used where at all times all vehicles, equipment, workers or their activities are more than 15' (4.5 m) from the edge of pavement.

When the work operation requires that two or more work vehicles cross the 15' (4.5 m) clear zone in any one hour, traffic control shall be according to Standard 701101.

This Standard also applies to work performed in the median more than 15' (4.5 m) from either pavement.


All dimensions are in inches (millimeters) unless otherwise shown.


DATE	REVISIONS
1-1-05	Switched units to English (metric).
1-1-05	Revised title.

**OFF-RD OPERATIONS, MULTILANE,
MORE THAN 15' (4.5 m) AWAY**


STANDARD 701106-02

Illinois Department of Transportation

APPROVED January 1, 2009

 ENGINEER OF OPERATIONS

APPROVED January 1, 2009

 ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-1-97



For contract construction projects




W20-1103(O)-48



W21-1(O)-48

For maintenance and utility projects



W20-1(O)-48

TYPICAL APPLICATIONS

- Utility operations
- Culvert extensions
- Side slope changes
- Guardrail installation and maintenance
- Delineator installation
- Landscaping operations
- Shoulder repair
- Sign installation and maintenance

① When the work operation exceeds one hour, cones, drums or barricades shall be placed at 25' (8 m) centers for L/3 distance, and at 50' (15 m) centers through the remainder of the work area.

SYMBOLS

- Work area
- Sign
- Cone, drum or barricade

GENERAL NOTES

This Standard is used where any vehicles, equipment, workers or their activities will encroach in the area 15' (4.5 m) to 24' (600) from the edge of pavement.

Calculate L as follows:

SPEED LIMIT	FORMULAS	
	English	(Metric)
40 mph (70 km/h) or less:	$L = \frac{WS^2}{60}$	$L = \frac{WS^2}{150}$
45 mph (80 km/h) or greater:	$L = (W)(S)$	$L = 0.65(W)(S)$

W = Width of offset in feet (meters).

S = Normal posted speed mph (km/h).

All dimensions are in inches (millimeters) unless otherwise shown.

DATE	REVISIONS
1-1-14	Revised workers sign number to agree with current MUTCD.
1-1-13	Omitted text 'WORKERS' sign.

**OFF-RD OPERATIONS, MULTILANE,
15' (4.5 m) TO 24" (600 mm)
FROM PAVEMENT EDGE**

STANDARD 701101-04

Illinois Department of Transportation


APPROVED January 1, 2014

 ENGINEER OF SAFETY ENGINEERING

APPROVED January 1, 2014

 ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-1-97



For contract construction projects




W20-I103(O)-48



W21-1(O)-48

For maintenance and utility projects



W20-1(O)-48

TYPICAL APPLICATIONS

- Utility operations
- Culvert extensions
- Side slope changes
- Guardrail installation and maintenance
- Delineator installation
- Landscaping operations
- Shoulder repair
- Sign installation and maintenance

SYMBOLS

-  Work area
-  Sign
-  Cone, drum or barricade

① When the work operation exceeds one hour, cones, drums or barricades shall be placed at 25' (8 m) centers for L/3 distance, and at 50' (15 m) centers through the remainder of the work area.

GENERAL NOTES

This Standard is used where any vehicles, equipment, workers or their activities will encroach in the area 15' (4.5 m) to 24' (600 mm) from the edge of pavement.

Calculate L as follows:

SPEED LIMIT	FORMULAS	
	English	(Metric)
40 mph (70 km/h) or less:	$L = \frac{WS^2}{60}$	$L = \frac{WS^2}{150}$
45 mph (80 km/h) or greater:	$L = (W)(S)$	$L = 0.65(W)(S)$

W = Width of offset in feet (meters).
S = Normal posted speed mph (km/h).


All dimensions are in inches (millimeters) unless otherwise shown.

DATE	REVISIONS
1-1-14	Revised workers sign number to agree with current MUTCD.
1-1-13	Omitted text 'WORKERS' sign.

**OFF-RD OPERATIONS, 2L, 2W,
15' (4.5 m) TO 24" (600 mm)
FROM PAVEMENT EDGE**

STANDARD 701006-05


Illinois Department of Transportation

APPROVED January 1, 2014

 ENGINEER OF SAFETY ENGINEERING

APPROVED January 1, 2014

 ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-1-97



TYPICAL APPLICATIONS

- Landscaping work
- Utility work
- Fencing contracts and maintenance
- Cleaning culverts

GENERAL NOTES

This Standard is used where at all times all vehicles, equipment, workers or their activities are more than 15' (4.5 m) from the edge of pavement.

When the work operation requires that two or more work vehicles cross the 15' (4.5 m) clear zone in any one hour, traffic control shall be according to Standard 701006.

All dimensions are in inches (millimeters) unless otherwise shown.

 Illinois Department of Transportation
 APPROVED January 1, 2009
 ENGINEER OF OPERATIONS
 APPROVED January 1, 2009
 ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-1-97

DATE	REVISIONS
1-1-09	Switched units to English (metric).
1-1-05	Revised title and notes.

**OFF-RD OPERATIONS,
 2L, 2W, MORE THAN
 15' (4.5 m) AWAY**

STANDARD 701001-02

PERMITS AND AGREEMENTS

Illinois Department of Transportation Permit

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION
APPLICATION FOR SPECIAL TOWN NAME SIGN PERMIT

Application is hereby made for a permit to erect a Special Town Name Sign to be located and described hereinafter:

Municipality: Village of Oswego County: Kendall #3
Address: 100 Parkers Mill Phone Number: (630) 551-2366
Oswego IL 60543
(municipality) (state) (zip)

PROPOSED SIGN LOCATION:

Illinois/US-Route No. 71

Sign will be located 100 feet from centerline of Orchard Road nearest cross street/road.

Sign will be located 80 feet from the edge of pavement and 0 feet from the right of way line.

Proposed sign will be 100+ feet from the nearest existing highway sign.

DESCRIPTION OF PROPOSED SIGN:

Size: Width 8 feet Height 8.25 feet

Height to bottom of sign 4.25 feet

Sign Supports: Number: 2 Type: **Wood** Metal 4" x 6" max size TS
(must be breakaway design if within the clear zone)

Sign Face: Wood Metal Reflectorized Nonreflectorized

Lighting: Yes No

The attached sketch shows: (1) details of the sign structure and (2) message and emblem of the proposed sign.

CERTIFICATE: The undersigned hereby certifies that the information furnished above is complete and correct to the best of my knowledge.

Jennifer M. Hughes

(Signature)

8/22/14
(Date)

Jennifer M. Hughes, P.E., CFM

(Print Name)

Public Works Director

{Title- City Official}

RETURN COMPLETED PERMIT FORMS TO THE ILLINOIS DEPARTMENT OF TRANSPORTATION / BUREAU OF OPERATIONS, 700 EAST NORRIS DRIVE, OTTAWA, ILLINOIS 61350

APPLICATION: (Approved) Not-Approved)

Bruce A. Houchen
(Operations Engineer) TS

01/29/14
(Date)

Southwest intersection of IL Rte 71 & Orchard Rd




Sign Type

-  Monument Sign
-  Tavern Sign
-  Contours 3ft
-  Oswego Village Boundary

Monument Sign:

- 110 Feet West of Minkler Road Centerline
- 100 Feet South of IL Rte 71 Centerline
- Face: Southbound Traffic



The requested map will be created for study purposes only. Please refer to the official recorded plat or deeds to the actual legal descriptions and property dimensions. No liability is assumed for the accuracy of the data delineated herein, either expressed or implied by the Village of Oswego or its employees. This work is protected by the United States Copyright Act of 1976 (17 U.S.C. Sec 101 et seq.). You are not permitted to use and/or reproduce any part of a copyrighted work of the Village of Oswego in violation of Federal Copyright Law. Doing so may result in prosecution under such law. If you wish to use property in which the Village of Oswego owns a copyright, you must obtain written permission through the Community Development Department in the Village of Oswego, located at 100 Parkers Lane, Oswego, Illinois 60243.

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION
APPLICATION FOR SPECIAL TOWN NAME SIGN PERMIT

Application is hereby made for a permit to erect a Special Town Name Sign to be located and described hereinafter:

Municipality: Village of Oswego County: Kendall #4
Address: 100 Parkers Mill Phone Number: (630) 551-2366
Oswego IL 60543
(municipality) (state) (zip)

PROPOSED SIGN LOCATION:

Illinois/US Route No. 34
Sign will be located 1,200 feet from centerline of Orchard Road nearest cross street/road.
Sign will be located 20 feet from the edge of pavement and 15 feet from the right of way line.
Proposed sign will be 100+ feet from the nearest existing highway sign.

DESCRIPTION OF PROPOSED SIGN:

Size: Width 8 feet Height 8.25 feet
Height to bottom of sign 4.25 feet
Sign Supports: Number: 2 Type: **Wood** Metal TS
(must be breakaway design if within the clear zone) 4" x 6" MAX SIZE
Sign Face: Wood Metal Reflectorized Nonreflectorized
Lighting: Yes No

The attached sketch shows: (1) details of the sign structure and (2) message and emblem of the proposed sign.

CERTIFICATE: The undersigned hereby certifies that the information furnished above is complete and correct to the best of my knowledge.

Jennifer M. Hughes

(Signature)

8/22/14
(Date)

Jennifer M. Hughes, P.E., CFM

(Print Name)

Public Works Director

{Title- City Official}


RETURN COMPLETED PERMIT FORMS TO THE ILLINOIS DEPARTMENT OF TRANSPORTATION / BUREAU OF OPERATIONS, 700 EAST NORRIS DRIVE, OTTAWA, ILLINOIS 61350

APPLICATION: (Approved) (Not Approved)

Bruce A. Huck
(Operations Engineer) TS

8/25/14
(Date)

Southwest intersection of US Rte 34 & Orchard Rd



The requested map will be created for study purposes only. Please refer to the office of recorded plats or deeds for the actual legal descriptions and property dimensions. No liability is assumed for the accuracy of the data delineated herein, either expressed or implied by the Village of Oswego or its employees. This work is protected by the United States Copyright Act of 1976 (17 U.S.C. Section 101) et seq. You are not permitted to use and/or reproduce any part of a copyrighted work of the Village of Oswego in violation of Federal Copyright Law. Doing so may result in prosecution under such law. If you wish to use property in which the Village of Oswego owns a copyright, you must obtain written permission through the Community Development Department in the Village of Oswego, located at 100 Parkers Hill, Oswego, Illinois 02543.

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION
APPLICATION FOR SPECIAL TOWN NAME SIGN PERMIT

Application is hereby made for a permit to erect a Special Town Name Sign to be located and described hereinafter:

Municipality: Village of Oswego County: Kendall
Address: 100 Parkers Mill Phone Number: (630) 551-2366
Oswego IL 60543
(municipality) (state) (zip)

PROPOSED SIGN LOCATION:

Illinois/US Route No. 31
Sign will be located 100 feet from centerline of Century Drive nearest cross street/road.
Sign will be located 20 feet from the edge of pavement and 0 feet from the right of way line.
Proposed sign will be 40 feet from the nearest existing highway sign.

DESCRIPTION OF PROPOSED SIGN:

Size: Width 8 feet Height 8.25 feet
Height to bottom of sign 4.25 feet
Sign Supports: Number: 2 Type: Wood Metal 4" x 6" Max Size TS
(must be breakaway design if within the clear zone)
Sign Face: Wood Metal ReflectORIZED NonreflectORIZED
Lighting: Yes No

The attached sketch shows: (1) details of the sign structure and (2) message and emblem of the proposed sign.

CERTIFICATE: The undersigned hereby certifies that the information furnished above is complete and correct to the best of my knowledge.


Jennifer M. Hughes
(Signature)
Jennifer M. Hughes, P.E., CFM
(Print Name)
Public Works Director
(Title- City Official)

8/22/14
(Date)

RETURN COMPLETED PERMIT FORMS TO THE ILLINOIS DEPARTMENT OF TRANSPORTATION / BUREAU OF OPERATIONS, 700 EAST NORRIS DRIVE, OTTAWA, ILLINOIS 61350

APPLICATION: (Approved) (Not Approved)
Bruce A. Huel 8/25/14
(Operations Engineer) (Date)

Southwest intersection of Century Dr & US Rte 31




Sign Type

-  Monument Sign
-  Tavern Sign
-  Contours 3ft
-  Oswego Village Boundary

Monument Sign:

- 100 Feet South of Century Dr Centerline
- 20 Feet West of edge of pavement
- Face: Southbound Traffic



The requested map will be created for study purposes only. Please refer to the official recorded plans or deeds for the actual legal descriptions and property dimensions. No liability is assumed for the accuracy of the data delineated herein, when expressed or implied by the Village of Oswego or its employees. This work is protected by the United States Copyright Act of 1976 (17 U.S.C. Sec 101 et seq.). You are not permitted to use and/or reproduce any part of a copyrighted work of the Village of Oswego in violation of Federal Copyright Law. Doing so may result in prosecution under such law. If you wish to use property in which the Village of Oswego owns a copyright, you must obtain written permission through the Community Development Department in the Village of Oswego, located at 100 Parkers Lake, Oswego, Illinois 60543.

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION
APPLICATION FOR SPECIAL TOWN NAME SIGN PERMIT

Application is hereby made for a permit to erect a Special Town Name Sign to be located and described hereinafter:

Municipality: Village of Oswego County: Kendall #8
Address: 100 Parkers Mill Phone Number: (630) 551-2366
Oswego IL 60543
(municipality) (state) (zip)

PROPOSED SIGN LOCATION:

Illinois/US-Route No. 25

Sign will be located 25 feet from centerline of Glendale Avenue nearest cross street/road.

Sign will be located 10 feet from the edge of pavement and 0 feet from the right of way line.

Proposed sign will be 100+ feet from the nearest existing highway sign (will replace existing Village sign).

DESCRIPTION OF PROPOSED SIGN:

Size: Width 8 feet Height 8.25 feet

Height to bottom of sign 4.25 feet

Sign Supports: Number: 2 Type: Wood Metal 4" x 6" max size TS
(must be breakaway design if within the clear zone)

Sign Face: Wood Metal ReflectORIZED NonreflectORIZED

Lighting: Yes No

The attached sketch shows: (1) details of the sign structure and (2) message and emblem of the proposed sign.

CERTIFICATE: The undersigned hereby certifies that the information furnished above is complete and correct to the best of my knowledge.

Jennifer M. Hughes

(Signature)

8/22/14

(Date)

Jennifer M. Hughes, P.E., CFM

(Print Name)

Public Works Director

{Title- City Official}

RETURN COMPLETED PERMIT FORMS TO THE ILLINOIS DEPARTMENT OF TRANSPORTATION / BUREAU OF OPERATIONS, 700 EAST NORRIS DRIVE, OTTAWA, ILLINOIS 61350

APPLICATION: Approved / Not Approved


James A. Huelken
(Operations Engineer)

8/29/14
(Date)

Southwest intersection of Rt 25 and Glendale Ave



DATE PRINTED: 8/27/2014



The requested map will be created for study purposes only. Please refer to the official recorded plans or deeds for the actual legal descriptions and property dimensions. No liability is assumed for the accuracy of the data delineated herein, either expressed or implied by the Village of Oswego or its employees. This work is protected by the United States Copyright Act of 1976 (17 U.S.C. Sec 101 et seq.). You are not permitted to use and/or reproduce any part of a copyrighted work of the Village of Oswego in violation of Federal Copyright Law. Doing so may result in prosecution under such law. If you wish to use property in which the Village of Oswego owns a copyright, you must obtain written permission through the Community Development Department in the Village of Oswego, located at 100 Parkers Hill, Oswego, Illinois 60543.

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION
APPLICATION FOR SPECIAL TOWN NAME SIGN PERMIT

Application is hereby made for a permit to erect a Special Town Name Sign to be located and described hereinafter:

Municipality: Village of Oswego County: Kendall #13
Address: 100 Parkers Mill Phone Number: (630) 551-2366
Oswego IL 60543
(municipality) (state) (zip)

PROPOSED SIGN LOCATION:

Illinois/US Route No. 34
Sign will be located 650 feet from centerline of US 30 nearest cross street/road.
Sign will be located 20 feet from the edge of pavement and 17 feet from the right of way line.
Proposed sign will be 100+ feet from the nearest existing highway sign.

DESCRIPTION OF PROPOSED SIGN:

Size: Width 8 feet Height 8.25 feet
Height to bottom of sign 4.25 feet
Sign Supports: Number: 2 Type: **Wood** Metal 4" x 6" MAX SIZE
(must be breakaway design if within the clear zone)
Sign Face: Wood Metal ReflectORIZED NonreflectORIZED
Lighting: Yes No

The attached sketch shows: (1) details of the sign structure and (2) message and emblem of the proposed sign.

CERTIFICATE: The undersigned hereby certifies that the information furnished above is complete and correct to the best of my knowledge.

Jennifer M. Hughes
(Signature)
Jennifer M. Hughes, P.E., CFM
(Print Name)
Public Works Director
{Title-City Official}

8/22/14
(Date)


RETURN COMPLETED PERMIT FORMS TO THE ILLINOIS DEPARTMENT OF TRANSPORTATION / BUREAU OF OPERATIONS, 700 EAST NORRIS DRIVE, OTTAWA, ILLINOIS 61350

APPLICATION: Approved Not Approved

Bruce A. Hachen
(Operations Engineer)

8/25/14
(Date)

Southwest intersection of US Rte 30 & US Rte 34. Near Ron Westphal




Sign Type

-  Monument Sign
-  Tavern Sign
-  Contours 3ft
-  Oswego Village Boundary

Monument Sign:

- 650 Feet Southwest of US Rte 30 Centerline
- 50 Feet Northwest of US Rte 34 Centerline
- Face: Westbound Traffic

Date Printed: 8/27/2014



The requested map will be created for study purposes only. Please refer to the official recorded plats or deeds for the actual legal descriptions and property dimensions. No liability is assumed for the accuracy of the data delineated herein, either expressed or implied by the Village of Oswego or its employees. This work is protected by the United States Copyright Act of 1976 (17 U.S.C. Sec 101 et seq.). You are not permitted to use and/or reproduce any part of a copyrighted work of the Village of Oswego in violation of Federal Copyright Law. Doing so may result in prosecution under such law. If you wish to use property in which the Village of Oswego owns a copyright, you must obtain written permission through the Community Development Department in the Village of Oswego, located at 100 Parkers ME, Oswego, Illinois 60543.