



INVITATION TO BID PARKWAY TREE
REPLACEMENT SERVICES– ADDENDUM #1
August 9, 2019

1. IMPORTANT INSTRUCTIONS TO BIDDERS

This addendum must be read, signed and dated by the bidder and included with the bid documents submitted by the bidder on or before the bid closing date and time. Failure to include this addendum with the bid documents may result in bid rejection.

Bidder will carefully note the inclusion of this addendum on the bid form.

2. ATTACHMENTS TO THIS ADDENDUM:

- a. Exhibit A: ANSI Caliper Specifications

3. CHANGES: Replace bid sheet with Exhibit A.

4. ADDITIONS:

5. DELETIONS:

6. SCHEDULE:

7. CLARIFICATIONS:

- a. QUESTION: The specifications call for 2.5” caliper trees measured 4.5 feet above ground level. Nursery Standards measure the caliper of a tree at 6” above ground level (for trees up to 4.5” caliper). When ordering trees from a nursey, this is how they sell their trees. Foresters use something called DBH (diameter at breast height) which would correlate with the 4.5’ measurement in the specs. Obviously, this is your decision, but I am worried that as specified, you will get bids using Nursery Standards that will not meet the exact specifications. I would recommend changing to the accepted Nursery Standards.

ANSWER: “All materials and work shall comply with applicable sections of The American Standard for Nursery Stock (ANSI Z60.1-2014)”.

1.2 Methods of measurement

1.2.1 Measuring for nursery stock, caliper measurement shall be taken six inches above the ground level for field grown stock and from the soil line for container grown stock, which should be at or near the top of the root flare, and six inches above the root flare for bare root plants, up to and including the four-inch caliper size interval (i.e., from four inches up to, but not including, 4½ inches).

- b. QUESTION: The requirements for the Bid Package call for the inclusion of a Performance Bond. Is it ok to provide this if awarded the bid?



INVITATION TO BID PARKWAY TREE
REPLACEMENT SERVICES– ADDENDUM #1
August 9, 2019

ANSWER: Yes, the performance bond can be delivered upon the execution of the contract.

8. ACKNOWLEDGMENT:

The Bidder acknowledges receipt of this Addendum and understands its content to the Bid Documents.

Authorized Signature

Date

EXHIBIT A

BID SHEET (revised 8/9/19)

PROJECT NAME: Parkway Tree Replacement Services

The undersigned, having examined the specifications, and all conditions affecting the specified project, offer to furnish all services, labor, and incidentals specified for the price below.

I (We) propose to complete the following project as more fully described in the specifications for the following:

TOTAL COST:

Pay Item	Description	Quantity	Unit	Unit Cost
1	Tree, 2-1/2" Caliper, Various Species	400	Each	\$

(Printed Name of Contractor)

Company Name

Address

City, State, Zip Code

Phone Number

Email Address

Printed Name of Authorized Representative

Title

Signature of Authorized Representative

Date