



Building Department

100 Parkers Mill, Oswego, Illinois 60543 (630) 554-2310 Fax (630) 554-7545
web site: <http://www.oswegoil.org>

April 9, 2015

To: Builders/concrete contractors

Re: Village of Oswego's Cold weather concrete

Dear Builder/concrete contractor;

Based on the current weather conditions and the long term forecast, The Village of Oswego is lifting the cold weather concreting restrictions on public sidewalks, service walks, driveways and related exterior flat work as of Monday, April 13, 2015. However, if the weather should change the Village of Oswego's cold weather concreting policy could be reimplemented.

During this time of year the weather is subject to drastic temperature variations. Should the average air temperature drop below 40 degrees for three consecutive days, exterior flatwork would have to be evaluated on a day by day and a case by case basis.

As in all cases at this time of year, all new concrete shall be protected with insulating blankets, straw, or other approved insulating materials and maintained at a minimum of 50 degrees for a minimum of 72 hours to insure adequate initial curing of the concrete.

Any questions can be directed to the Building Department at (630) 554-2310.

Respectfully:

A handwritten signature in cursive script that reads 'Ronald W. Fox'.

Ronald W. Fox
Chief Building Inspector

cc. Tom Pahnke, Building Department Manager
Rod Zenner, Community Development Director